

# TECHNICAL DATA SHEET

NCE

Sept 2025

Fast drying solvent

## PRODUCT DESCRIPTION

NCE is a fast-drying solvent specially formulated for an efficient cleaning of electrical equipment when fast evaporation rates is required.

A wide range of cleaners is available at ABchimie, including both slow and fast-drying cleaning solvents and water-based cleaning products.

## FEATURES

- Fast drying
- Leaves a perfectly clean, dry surface - conventional solvents often leave greasy deposits which attract dust and dirt.
- Harmless to most plastics, rubbers, elastomers, and surface coatings.
- Available in cans and bulks.

## PRODUCT USE

Cleaning of electrical contacts, tape heads, PCB's, components in electronic and video equipment, computers, optical and precision instruments, cameras etc.

Immerse surface to be cleaned or spray onto surface to excess and allow to evaporate.

NCE contains **flammable solvent** so do not spray onto live electrical equipment or other sources of ignition.

## PROPERTIES

Specific Gravity @ 20°C:	0.79
Inhalation Toxicity:	500 ppm
Flash Point:	-48°C
Boiling point:	36°C
Residue on Evaporation:	<50ppm
Evaporation Rate:	2 (with ether as 1)

## PACKAGING

400mL spray (by 12)  
    With brush  
    With tube  
1 Litre Bulk  
5 Litre Bulk  
30 Litre Bulk

## REFERENCE

NCE400  
NCE400B  
NCE400C  
NCE 01L  
NCE 05L  
NCE 30L

NCE is compliant with REACH and RoHS regulations. If you want a certificate, please contact us ([info@abchimie.com](mailto:info@abchimie.com)). Please refer to the separate Health & Safety Data Sheet for further details.

## STORAGE AND DATE OF USE:

Storage temperature: 5 to 30°C: A temporary lower or higher temperature during few days (transport) doesn't distort properties.

Date by use: 24 months after the date of manufacturing (18 months in spray)

*All information is given in good faith but without warranty. Properties are given as a guide only and should not be taken as a specification. ABchimie cannot be held responsible for the performance of its products within any application determined by the customer, who must satisfy themselves as to the suitability of the product.*